

In the Claims

Please amend Claims 1 and 8 as follows.

1 1. (Currently Amended). A rack for contiguously storing and displaying a number of symmetrical
2 objects having parallel, planar opposite faces, said rack comprising:

3 a bottom frame;

4 a plurality of pairs of guides projecting substantially orthogonally from said bottom frame,
5 each of said pairs of guides being shaped, dimensioned and positioned to removably hold one of said
6 objects; and

7 a toggling mechanism in said bottom frame associated with each of said pairs of guides and
8 positioned to outwardly push an object held between said pair of guides, said mechanism being
9 actuatable by movement of said object; and,

10 wherein said toggling mechanism comprises a spring.

1 2. (Original). The rack of Claim 1 which further comprises a pair of flanged projections extending
2 laterally from said rack and shaped and spaced-apart to capture the hanging folder rails of a common
3 filing cabinet.

1 3. (Original). The rack of Claim 1, wherein said rack further comprises means for releaseably
2 mounting said toggling mechanism to said bottom frame.

1 4. (Original). The rack of Claim 3, wherein said means comprise a window cut through said bottom

2 frame associated with said toggling mechanism, said window being sized and shaped to accept an
3 intimately bear against a housing portion of said toggling mechanism.

1 5. (Original). The rack of Claim 1, wherein a first guide of said pairs of guides has a first thickness
2 of about 0.3 millimeter.

1 6. (Original). The rack of Claim 1, wherein said toggling mechanism comprises:
2 a plunger portion slidably engaged in a housing portion;
3 said plunger being biased away from said housing portion; and
4 a toggling arm for alternately locking said plunger in a lower resting position and an upper
5 resting position upon the application and subsequent release of a downward force overcoming said
6 bias.

1 7. (Original). The rack of Claim 6, wherein said toggling mechanism further comprises:
2 said toggling arm being pivotally mounted to said plunger; and
3 a shaft extending from said arm into a guide window in said housing.

1 8. (Currently Amended). ~~The rack of Claim 7,~~ A rack for contiguously storing and displaying a
2 number of symmetrical objects having parallel, planar opposite faces, said rack comprising:
3 a bottom frame;
4 a plurality of pairs of guides projecting substantially orthogonally from said bottom frame,
5 each of said pairs of guides being shaped, dimensioned and positioned to removably hold one of said

6 objects; and

7 a toggling mechanism in said bottom frame associated with each of said pairs of guides and
8 positioned to outwardly push an object held between said pair of guides;

9 wherein said toggling mechanism comprises:

10 a plunger portion slidingly engaged in a housing portion;

11 said plunger being biased away from said housing portion;

12 a toggling arm for alternately locking said plunger in a lower resting position and an
13 upper resting position upon the application and subsequent release of a downward force overcoming
14 said bias;

15 said toggling arm being pivotably mounted to said plunger; and

16 a shaft extending from said arm into a guide window in said housing;

17 wherein said toggling mechanism further comprises:

18 a semi-cylindrical prong projecting from said arm; and

19 said prong having a first flattened surface for bearing against a correspondingly
20 second flattened surface of said plunger during application of said downward force, thereby causing
21 pivoting motion in said arm.

1 9. (Original). The rack of Claim 8, wherein said toggling mechanism further comprises said
2 window being shaped to alternately swing said arm between said lower resting position and said
3 upper resting position.

1 10. (Original). The rack of Claim 1, wherein said rack further comprises said bottom frame being

2 mounted substantially vertically to a display case so that said guides project laterally with respect
3 to said case.

1 11. (Original). The rack of Claim 10, wherein said rack further comprises a rotating base mounted
2 to said case thereby allowing said rack to revolve about a substantially vertical axis.

1 12. (Original). A display case comprises a first and second rack according to Claim 1.

1 13. (Original). The display case of Claim 12, wherein said first and second racks are mounted
2 vertically such that a bottom frame of said first rack is oriented orthogonally to the bottom frame of
3 said second rack.

1 14. (Original). The display case of Claim 13, wherein said case further comprises a rotating base
2 thereby allowing said racks to revolve around a vertical axis.